



UNIVERSITY  
ILLINOIS  
AT URBANA-CHAMPAIGN  
GEOLOGY

AUG 1 1931









I  
33:31

# FIELDIANA Geology

Published by Field Museum of Natural History

Volume 33, No. 31

September 14, 1981

This volume is dedicated to Dr. Rainer Zangerl

## INTRODUCTION AND INDEX TO FIELDIANA: GEOLOGY VOLUME 33

EUGENE S. RICHARDSON, JR.  
CURATOR, FOSSIL INVERTEBRATES  
FIELD MUSEUM OF NATURAL HISTORY

WILLIAM D. TURNBULL  
CURATOR, FOSSIL MAMMALS  
FIELD MUSEUM OF NATURAL HISTORY

Probably every author represented in this volume has a different appreciation of Rainer Zangerl. That this is so reflects not only the variation within the population of contributors, but also Rainer's own multifaceted nature. Many of us know him best as a field man; many know him for his expertise in the systematics of turtles and other squamose animals, or of wildly various chondrichthyans, or in dental histology, or evolutionary theory. Many of us know him as a man of strong opinions: his early perception of environmental concerns was not widely shared at a time when most people casually considered natural resources to be limitless and their squandering to be harmless. Some of us know him as teacher and mentor. A few of us know him in all of these capacities.

~~Library of Congress Catalog Card No.:~~ 81-68999

MAR 4 1982  
ISSN 0096-2651

UNIVERSITY OF ILLINOIS  
AT URBANA-CHAMPAIGN  
Publication 1323



RAINER ZANGERL



One cannot think of Rainer without thinking also of Anne, his wife. Many of us cherish the memory of evenings in their house in suburban Chicago, which Rainer designed, or in the much more elaborate home in Hajji Hollow, Indiana, which he also designed and which he and Anne built over a period of years. This *Festschrift*, though naming one in its dedication, is really dedicated to both. At home or in the field, they are a unit.

Rainer was born in Switzerland in the ancient town of Winterthur near Zurich and spent his boyhood summers in the Alps of Switzerland and in the Austrian Tyrol. If his house in Hajji Hollow has an Austrian look, it is because it owes something to the family's ancient summer retreat in the Paznaun Valley. If the front door seems to have come from a Viennese townhouse, it is because Rainer made it, paneled within panels of two-inch thick laminated oak, from plans in an old book on German carpentry. If the furnace is not recognizably standard American, it is because Rainer made it, with a great heat sink of five tons of brick and rock, on the model of the 16th-century central heating system in the Paznaun house.

As a boy in the summer of 1928, Rainer was sent to the upper Rhône Valley in French Switzerland to stay with the local priest and learn French. Things were not very lively, and so when one of the local boys was taken sick, Rainer volunteered to herd the cows to and from their nearly vertical meadows and to do the milking. Swiss cows, on account of their remarkable diet of wildflowers, yield a substance that approximates whipped cream. Extracting this delicious fluid from the cows, however, is a job for the horny-handed, and so Rainer duly developed calouses. At the end of the summer, he returned to Winterthur with hardened thumbs, a good coat of tan, and a practical knowledge of French, not to mention an understanding of how the inhabitants of the Rhône Valley made their renowned cheeses and wines. In contrast to this pastoral summer, he spent the winter of 1928-1929 perfecting his English at Highgate College, a typically spartan boarding school in London.

Rainer then entered the University of Zurich and there began the studies that would shape his professional future. Among his professors was Hans Schinz, a roentgenologist, whose course emphasized avian osteogenesis. Rainer absorbed the subject matter, but also took advantage of the professor's technicians to learn how to use the x-ray machines. He had fossils in mind, being determined to become a vertebrate paleontologist. His major professor was Bernhard Peyer, from whom he took vertebrate anatomy and paleontology. He served as Peyer's assistant in quarrying Triassic fossils

from a bituminous limestone in the Tessin in southern Switzerland, and it was there that he obtained the specimens of *Pachypleurosauros* on which he wrote his dissertation. Rainer received the Ph.D. degree from Zurich at the age of 23, the youngest up to that time on the University records.

Because there were no jobs in Switzerland for paleoherpetologists in 1935, Rainer sent bundles of résumés to far places. A belated response from a Zurich graduate in South Africa offered not a job, but advice: go to the United States. So off he set on a slow boat for New York. There he encountered Al Romer, who arranged an appointment for him at Harvard as guest researcher in comparative anatomy. Al also allowed Rainer to use his house in Cambridge for a term while he was away. With a job and a place to live, things were looking up, and so Rainer sent for his fiancée, Anne Kurz, in Winterthur, and they were married in Cambridge in 1937.

The guest position at Harvard ended with the spring of 1938, and it was necessary to find something more permanent. After seeing an announcement of Middlesex University, which was then expanding to include veterinary science, Rainer went to Waltham, Massachusetts, to discuss the matter with the proprietor, Dr. John Hall Smith, and the president, Dr. Ruggles Smith. At the close of an agreeable conversation, the faculty in veterinary science had been expanded from 0 to 1, and Rainer became not only professor, but head of the department, with a salary of \$125 per month. One of his first official acts was to appoint Anne as half-time instructor at a monthly salary of \$25. He and Anne then moved to Waltham.

At Middlesex University, Rainer found an outlet for another of his talents. In conversation with Dr. Smith, the proprietor, Rainer happened to mention that he had some knowledge of drafting, derived from his architect father. As a result, he received a \$30 architectural commission for designing a proper laboratory building for veterinary anatomy. The building was actually built after the Zangerls had left Middlesex. The basic edifice apparently still stands as a part of Brandeis University but extensively enlarged.

In 1939 Rainer and Anne moved to Detroit, where Rainer had accepted the position of instructor in zoology and comparative morphology at the University of Detroit. Although the University of Detroit was far better equipped than Middlesex, the budget was still tight, and in order to provide specimens for the anatomy classes, Rainer proposed going to Florida to collect dogfish and whatever else might turn up. He and Anne had a happy collecting season, the first of their many trips that have made them familiar

with large parts of this country. Their first paleontological collecting in the United States was also for Detroit. They collected in the Big Badlands, gathered Green River fishes in Wyoming, and crossed the mountains to the Uinta Basin for its Eocene vertebrate fossils.

Rainer left Detroit in 1942 for a position as assistant professor of comparative anatomy at Notre Dame, where he stayed for three terms. Then, on the recommendation of Karl P. Schmidt, Chief Curator of Zoology at Field Museum, he came to Chicago as Curator of Fossil Reptiles and Amphibians in the Department of Geology. Here, he found Paul McGrew and Bryan Patterson as stimulating colleagues. Dwight Davis, Clifford Pope, Robert Inger, Loren Woods, Rupert Wenzel, and Henry Dybas, all in the Department of Zoology, and Theodor Just in the Department of Botany also provided scientific interchange.

Rainer's career at the Museum included much field work. He made several trips to the Cretaceous chalk near Selma, Alabama, and from these trips came the fossil turtles on which he based five important Field Museum memoirs, as well as incidental fishes, dinosaurs, and mosasaurs for the collection, later monographed by others. Rainer became a world authority on fossil turtles, and at that period it seemed that they would occupy him for the rest of his career.

Probably to his own surprise, turtles were eventually eclipsed in Rainer's research by fishes. In conversation with Loren Woods, the Museum's ichthyologist, Rainer emphasized the importance of fossils in determining fish phylogeny. But how, wondered Loren, does one obtain fossil fishes? Well, Rainer went on, after one has been collecting fossils for many years, one develops a sense for what rocks may be fossiliferous. Loren was willing to be convinced and suggested a trip to Posey County, Indiana, where some Woods relatives had a coal mine with nice fresh rock exposed in the head-wall. Rainer did, indeed, locate a thin bed of black shale that looked promising, and when they dug into it, there were, indeed, fragments of fossil fishes.

On the way back to Chicago, as they were zooming along U.S. 41, on a hill near Mecca in Parke County, Indiana, Rainer noticed a likely looking rock along the roadside. They stopped to examine the rock, and found it was more than promising. Each piece of the Pennsylvanian black shale that they split revealed a fossil fish—articulated fossils of whole palaeoniscoid fishes or intact, though dismembered, parts of sharks. Rainer showed the new locality to Bob Denison, Bill Turnbull, and Gene Richardson from the Museum and



to Bernhard Peyer, who happened soon afterward to be visiting this country. They all found specimens in good number.

When other projects permitted, Rainer and Bill Turnbull went back to Parke County and located a likely spot for a quarry. By good fortune, the landowner happened to own a small bulldozer and was more than happy to dig a small quarry on the black shale. With the help of Gene and a succession of students, Rainer and Bill pried up the joint blocks from their Mecca Quarry and took them back to the Museum, where they were reassembled in a large laboratory. For two years the teams split and x-rayed the slabs of shale, charting every fossil fragment, with a running exchange of theory and countertheory regarding how such a dense concentration of fossil fishes could have come about. Field interludes were devoted to mapping the lateral extent of the occurrence, with its variations in fauna and lithology. In 1957 one of the new localities developed into Logan Quarry, much larger than Mecca Quarry, and the next year another became Garrard Quarry.

After numerous debates and a month in Louisiana studying fish decomposition in nature, Rainer and Gene presented their evidence in 1963 in a Field Museum memoir. Rainer followed this in 1973 with another memoir (with Gerard Case) describing the Iniopterygia, a new order of cartilaginous fishes from the Pennsylvanian black shales, and he has since completed a manuscript on their amazingly varied and important sharks.

In the midst of his work on black shale fish, Rainer undertook two very different projects. Dwight Davis, the Museum's distinguished comparative anatomist, asked him for help in deciphering the impenetrable German of a book on phylogenetic systematics by one Willi Hennig. They became interested in the principles that Hennig set forth. Presently they were spending their lunch hours together, and in a year or so produced a fluent translation which was published in 1966 by the University of Illinois Press. This book has been the introduction to cladistics for most English-speaking biologists. Rainer also translated from the German a text on dental histology by his old Zurich professor, Peyer, which was published in 1968 (unfortunately, after Peyer's death).

The Pennsylvanian black shales have been the most sustained of Rainer's many field projects for the Museum, following other programs in the Cretaceous of Alabama and Texas and in the Eocene and Triassic of Wyoming. But the lovely hardwood forests and the shale outcrops and wild gullies of the Mecca area in Parke County took a firm hold on Rainer's affection, and he bought a secluded

tract, a natural amphitheater with outcrops of fossiliferous black shale, where he has built his retirement home-and-laboratory, appropriately known as Hajji Hollow (a Hajji is, of course, one who has been to Mecca). "Retirement" is, however, a misnomer for Rainer's current activities. The work on Pennsylvanian black shale fossils is in fact ongoing to this day with undiminished vigor, as are such sidelines as wine-making and house design and construction. We join Rainer's many friends and associates in the hope and expectation that this happy state of multiple affairs will long continue.

## AUTHOR INDEX

Adamec, Thomas.....	441
Bardack, David.....	355, 489
Bolles, Kathryn.....	271
Bolt, John R.....	11
DeMar, Robert F.....	339
Denison, Robert H.....	31
Dunkle, David H.....	205
Falk, Dean.....	423
Gaffney, Eugene S.....	157
Hopson, James A.....	83
†Johnson, Ralph G.....	471
Langston, Wann, Jr.....	291
Lund, Richard.....	521
McDonald, Nicholas G.....	205
McGrew, Paul O.....	257
Nitecki, Matthew H.....	1
Olson, Everett C.....	271
†Patterson, Bryan.....	397
Pfefferkorn, Hermann W.....	315
†Quinn, James H.....	511
Radinsky, Leonard.....	323
Reed, Charles A.....	423
Richardson, Catherine K.....	179
Richardson, Eugene S., Jr.....	489
Rigby, J. Keith.....	1
Russell, Dale A.....	235
Shaeffer, Bobb.....	205
Schram, Frederick R.....	95
Schultze, Hans-Peter.....	375
†Segall, Walter.....	59
Shabica, Charles W.....	541
Taylor, Katherine Elbaum.....	441
Thompson, Ida.....	471
Turnbull, Priscilla F.....	141
Turnbull, William D.....	569
Wilson, John Andrew.....	193
Woodland, Bertram G.....	125, 179

## SUBJECT INDEX

In this index, only the first page reference within a given paper is cited for any topic; readers should look on later pages for additional references. Names of stratigraphic units are bunched under the pertinent system entries. Subgenera are indexed as genera. Trivial names are not indexed except for *zangerli* and other new species, and citations of authors are not indexed except for Rainer Zangerl; this practice emphasizes the dedicatory nature of the volume.

This index was compiled with the help of Olive Turnbull.

- |                                   |                                    |
|-----------------------------------|------------------------------------|
| <i>Acadiocaris novascotica</i> 95 | <i>Androstachys frondosus</i> 320  |
| <i>Acheloma</i> 13                | <i>Ankelacephalon</i> 120          |
| <i>cumminsi</i> 13                | Annelida 471                       |
| <i>pricei</i> 13                  | Anthaspidellidae 9                 |
| sp. 14                            | <i>Anthracocaris scoticus</i> 106  |
| <i>whitei</i> 13                  | Anticosti Island, Quebec           |
| <i>Acrolepis</i> 224              | Ordovician sponges 1               |
| <i>Acropholis</i> 224             | <i>Araucarites spiniformis</i> 320 |
| <i>Adinotherium</i> 413           | <i>Archaeolithophyllum</i> 556     |
| <i>Agassizodus</i> 524            | <i>Archaeolophus</i> 397           |
| <i>Agnatha</i> 489                | <i>praecursor</i> 409              |
| Alabama                           | <i>Archaeoscyphia</i> 1            |
| Cretaceous mosasaur 240           | <i>annulata</i> 9                  |
| <i>Allactaga</i> sp. 145          | <i>boltoni</i> 1                   |
| <i>Alligator</i>                  | <i>minganensis</i> 9               |
| <i>mississippiensis</i> 302       | <i>Arctocyon</i> 323               |
| <i>Alloberyx</i> 363              | <i>primaevus</i> 326               |
| <i>Allosaccus</i> 9               | <i>Arctocyonides</i> 323           |
| <i>Ambystoma</i> 277              | <i>Arctostrea</i> 342              |
| Amphibia                          | <i>Arenicolites</i> 543            |
| <i>Ambystoma</i> 277              | Arkansas                           |
| Labyrinthodontia 11               | Cretaceous mosasaur 241            |
| Larval 395                        | Mississippian cephalopod 511       |
| <i>Lysorophus</i> 271             | <i>Aulocopina</i> 9                |
| <i>Molgophis</i> 276              | <i>Aulocopium</i> 9                |
| <i>Peronedon</i> 283              | <i>Australopithecus</i> 423        |
| <i>Siren</i> 277                  | <i>africanus</i> 424               |
| <i>Amphicyon</i> 330              | Austria, Triassic fish 207         |
| <i>Ancylocoelus frequens</i> 411  |                                    |

- Bacteria  
   activity 179, 260  
   sulfate-reducing 131  
 Baradostian 141  
 Batagur 173  
 Belgium  
   Cretaceous mosasaur 241  
*Benthosuchus* 25  
*Bergisuchus* 291  
*Berycopsis* 358  
 Biostratigraphy 197  
*Biscalitheca* 315  
   *musata* 321  
 Black shale  
   Mississippian, Arkansas 511  
   Pennsylvania, Illinois Basin 129,  
     179, 441  
*boltoni*, *Archaeoscyphia*, n. sp. 3  
*Boreolepis* 224  
*Boreosomus* 215  
*Bos primigenius* 145  
*Brachipposideros* 65  
 Bradyodonti  
   evolution 521  
   tooth histology 523  
 Brain  
   condylarth 323  
   notoungulate 416  
 Bridgerian 574  
*Brittsia problematica* 315  
 Burrows, Permo-Carboniferous 271  
  
*Callianassa* 288  
*Calycocoelia* 9  
*Campodus* 532  
*Canis lupus* 145  
*Capra hircus aegagrus* 145  
*Capra ovis*, indet. 145  
*Caproberyx* 363  
   *superbus* 367  
*Carinodens fraasi* 237  
*Carodnia* 409  
*Carolozittelia* 397  
   "eluta" 409  
   *tapiroides* 409  
 Cephalopoda  
   Mississippian *Rayonnoceras* 511  
*Ceratodus parvus* 47  
*Cervus elaphus* 145  
  
 Chelonia, Chelydridae,  
   phylogeny 157  
*Chelydra* 157  
   *serpentina* 164  
*Chilonatalis tumidifrons* 73  
 Chimaerid 531  
*Chinemys* 173  
*Chirodipterus* 32  
 Chiroptera 59  
*Chomatodus* 535  
*Chondrenchelys* 531  
 Chondrichthyes  
   Bradyodontia; evolution 521  
   dental histology; *Edestus* 441  
   swimming; tail function 84  
*Chondrites* 543  
 Classification  
   chondrichthyes 521  
   phylogenetic basis 175  
*Clidastes* 244  
   *liodontus* 250  
   *propython* 248  
*Cochliodus*  
   *contortus* 524  
   *nibilis* 527  
*Coleura*  
   *gallarum* 72  
   *afra* 72  
*Colombitherium* 397  
   *tolimense* 405  
*Compressidens* 236  
*Conchodus* 32  
*Conchopoma* 31, 390  
   *arctata* 34  
   *edesi* 34  
   *gadiformis* 36  
 concretions  
   fauna 95, 375, 471, 489  
   formation on Cephalopoda 513  
   phosphatic 545  
   pyritic 545  
   pyritic cone-in-cone 125  
   rate of formation 179  
   sideritic 543  
 Condylarth  
   brains 323  
 Cone-in-cone 125  
   calcitic 129, 186  
   pyrite 125



- Connecticut, Triassic fish 205  
 Coprolite 125  
 Cretaceous  
   Craie d'Obourg 241  
   Marlbrook Marl 241  
   mosasaur 235  
   Niobrara Fm. 371  
   Pierre shale 235  
   Selma Chalk 240  
   Sharon Springs Mem. 235  
   Smoky Hill Chalk 371  
   Taylor Fm. 241, 355  
 Crocodiles des marnières  
   d'Argenton 294  
*Crocodylus* 301  
   *acutus* 302  
   *niloticus* 302  
   *porosus* 302  
   *rollinati* 295  
   *vorax* 294  
   *ziphodon* 292  
 Crustacea  
   burrows 271  
   *Callianassa* 288  
   peracarid 95  
*Cryptocaris hootchi* 100  
*Ctenocephalichthys* 366  
*Ctenodus* 32  
   *cristatus* 376  
*Ctenoptychius* 535  
 Czechoslovakia, Pennsylvanian  
   plants 316  
  
*Dadoxylon* 180  
*dakotensis*, *Globidens*, n. sp. 240  
*Daphoenus* 330  
*Deirochelys* 173  
*Deltodus sublaevis* 527  
*Deltoptychius armigerus* 524  
 Dentition (see also teeth)  
   chimaeroid 528  
   dipnoans 33, 386  
   edestids 532  
   holocephalian 524  
   iniopterygian 531  
   petalodont 535  
*Desmiodus* 532  
 Devonian  
   Anaspida 83  
   chondrichthyan 528  
   crustacean radiation 31  
   Dipnoi 31  
*Dictyodora* 543  
*Didolodus* 410  
*Diplomystus* 264  
*Diplurus* 227  
   *longicaudatus* 228  
 Dipnoi  
   aestivation burrows 271  
   *Conchopoma* 31, 390  
   *Ctenodus* 32, 376  
   *Esconichthys* 395  
   *Gnathorhiza* 32, 271, 393  
   *Megapleuron zangerli* 375  
   *Monongahela* 32, 393  
   *Neoceratodus* 33, 389  
   *Peplorhina* 391  
   *Phaneropleuron* 32, 377  
   *Protopterus* 279  
   *Sagenodus* 32, 375  
   *Scaumenacia* 32, 377  
   *Straitonia* 32, 393  
   tooth structure and evolution 31  
   *Tranodis* 32, 377  
   *Uronemus* 31, 393  
*Dipnorhynchus*  
   *lehmanni* 32  
   *sussmilchi* 32, 55  
*Dipterus*  
   *fleischeri* 41  
   *mordax* 32  
   *tuberculatus* 43  
   *valenciennesi* 32  
   *verneuilli* 43  
*Dissorophoidea* 11  
*Dissorophus multicinctus* 26  
*Doleserpeton annectens* 12  
  
 Ear, inner, Chiroptera 59  
*Ecolsonia* 13  
*Ectenosaurus* 248  
*Edaphodon* sp. 524  
 Edestiformes  
   morphology 532  
   tooth histology 441  
*Edestus*  
   *heinrichii* 441  
   *minor* 446  
   *mirus* 467

- Elasmobranchii  
   teeth 441  
*Ellobius* cf. *fuscocapillus* 145  
*Emballonura*  
   *E. meeki* 72  
   *E. monticola* 72  
   *E. nigrescens* 72  
   *E. semicaudata* 72  
*Enchodus* 371  
 England, Jurassic fish 207  
 Environmental restriction of faunas  
   197  
*Equus hemionus* 145  
*Eryops* 25  
*Esconichthys apopyris* 395  
*Esconites*, n. gen. 472  
   *zelus*, n. sp. 472  
*Esox lucius* 467  
 Essex fauna  
   Agnatha 489  
   Crustacea 95  
   Dipnoi 375  
   habitat 489  
   Polychaeta 471  
*Eunice* 480  
*Eunicites* 485  
   *avitus* 487  
 Evolution  
   Amphibia, Labrinthodontia 11  
   Chelonia 157  
   Chondrichthyes 521  
   Crustacea 95  
   models, functional morphological  
     339  
   Pisces, Dipnoi 31  
 Faunas, environmental restriction  
   197  
 Finfold, Anaspida 83  
*Fleurantia* 31  
   *denticulata* 36  
 France  
   Jurassic fish 207  
   Permian lungfish 378  
 Functional morphology  
   Amphibia, Labyrinthodontia 11  
   Anaspida 83  
   models, evolutionary 339  
*Ganorhynchus*  
   *splendens* 32  
   *woodwardi* 32  
*garretti*, *Omosoma*, n. sp. 356  
*Geochelone* 173  
 Geochronology  
   Tertiary 193  
   Wood Committee 198  
*Geoemyda* 172  
 Germany, Jurassic fish 207  
*Gilpichthys*, n. gen. 497  
   *greenei*, n. sp. 497  
*Globidens* 235  
   *aegyptiacus* 239  
   *alabamensis* 237  
   *dakotensis* 242  
   *stromeri* 240  
   *timorensis* 240  
*Gnathorhiza* 32, 271  
   *dikeloda* 51  
   *serrata* 51, 393  
*greenei*, *Gilpichthys*, n. sp. 497  
*Griphodon* 397  
   *peruvianus* 421  
*Griphognathus* 32  
   *minutidens* 36  
*Grossipterus* 32  
*Halisaurus sternbergi* 248  
*Helicoprion* 446, 523  
*Helodus* 526  
*Hesperornis* sp. 236  
*Hesperorthis laurentia* 9  
*Hesslerella shermani* 95  
 Heterocercal tail, function 83  
*Heterodontus* 88  
*Hindia* cf. *fibrosa* 1  
*Hipposideros*  
   *armiger* 67  
   *bouziguensis* 65  
   *caffer* 67  
   *cervinus* 67  
   *cineraceus* 67  
   *commersoni* 65  
   *commersoni merungensis* 67  
   *diadema* 67  
   *diadema griseus* 65  
   *diadema vicareus* 67  
   *larvatus* 67

- Histology, dental  
   Dipnoi 38  
   Elasmobranchii 450  
*Holmesella* 539  
*Holocentropsis* 366  
*Holocephali* 521  
*Holodipterus* 32  
   *sanctacrucensis* 35  
*Homalodotherium* 416  
*Homo*  
   *africanus* 424  
   *erectus* 424  
*Homonotichthys* 360  
*Howellitubus whitfieldorum* 472  
*Humbertia angustidens* 326  
*Hyaena* sp. 145  
*Hyaenodon horridus* 326  
*Hyopsodus* 323  
 Hypocercal tail, function 83  
*Hyrachyus modestus* 326  
 Illinois, Pennsylvanian  
   Agnatha 489  
   concretions 125  
   Crustacea 95  
   Dipnoi 375  
   larval chordate 395  
   Polychaeta 471  
   sedimentary structure 541  
 Indiana, Pennsylvanian  
   concretions 125, 179  
   sharks 442  
*Iniopterygii* 524  
*Inoceramus* 355  
   *platinus* 357  
 Iran  
   Damghan 150  
   Warwasi 143  
 Iraq  
   Palagawra cave 143  
*Isopodites* 120  
 Italy, Triassic fish 207  
*Jarvikia* 32  
 Jurassic fish 207  
 Kansas, fossil fish 355  
*Kansius* 355  
   *sternbergi* 362  
*Kinyxys* 173  
*Knighthia* 260  
 Labrinthodontia 11  
*Lepidosiren* 51  
*Leptacodon (recte Leptecodon)* 371  
*Lepus* cf. *capensis* 145  
*Limnosaurus ziphodon* 292  
*Lissocoelia* 9  
*Listracanthus* 527  
*Longiscitula houghae* 12  
*Lophodus* 532  
*Lysorophus* 271  
   *tricarínatus* 274  
*Macrocephalochelys* 157  
   *pontica* 165  
*Macroclmys*  
   "Gypochelys" 158  
   *temmincki* 165  
 Mammalia  
   Chiroptera, Tertiary 59  
   condylarth brains, Tertiary 323  
   fauna, early Recent 141  
   fauna, Washakie Fm. 569  
   Hominoidea 423  
   Notoungulata, Tertiary 397  
 Mapping  
   problems of, Washakie Basin 572  
*Mayomyzon* 489  
 Mazon Creek fauna  
   Agnatha 489  
   Crustacea 95  
   Dipnoi 375  
   larval chordate 395  
   Polychaete 471  
 Mecca fauna, edestid 441  
 Mecca Quarry Shale 131, 183, 442  
*Megapleuron*  
   *rochei* 375  
   *zangerli*, n. sp. 375  
*Melanognathus* 32  
*Menaspis armata* 524  
*Meniscotherium* 323  
*Meriones* cf. *persicus* 145  
*Merychippus* 201  
*Mesocricetus* cf. *auratus* 145  
*Mesomphisopus capensis* 120

- Mesonyx* 323  
*obtusidens* 324  
 Michigan, Pennsylvanian lungfish  
   burrows 272  
*Microtus* cf. *socialis* 145  
*Mioplosus* 265  
 Mississippi, Cretaceous  
   mosasaur 240  
 Mississippian  
   Bear Gulch Limestone 521  
   chondrichthyans 521  
   Crustacea 117  
   Fayetteville Fm. 511  
   Imo Fm. 513  
   lungfish 393  
   lungfish burrows 272  
   *Rayonnoceras* 511  
 Missouri, fossil plants 316  
*Molgophis* 276  
*Molossus obscurus* 78  
*Monongahela* 32, 393  
   *dunkardesis* 33  
 Montana, Bear Gulch  
   chondrichthyans 521  
*Mormopterus* 74  
   *kalinoskii* 78  
 Morphology  
   Australopithecine 423  
   brains, condylarth, ungulate,  
     carnivore 323  
   *Brittsia problematica* 315  
   Cretaceous fish 355  
   functional (see Functional  
     Morphology)  
   *Globidens* 239  
   inner Ear, Chiroptera 59  
   Pennsylvanian dipnoi 375  
   *Ptycholepis* 205  
   shell, turtle 168  
   skull, turtle 157  
   symphysial teeth, *Edestus* 441  
   teeth, Dipnoi 31  
   ziphodont crocodilians 291  
*Mosasaurus* 245  
 Mousterian 141  
*Moythomasia* 223  
*Myotis*  
   *albescens* 76  
   *capaccini* 73  
   *chiloensis* 76  
   *gracilis* 76  
   *mystacinus* 76  
   *ricketi* 76  
   *siligorensis* 76  
*Myriacanthus paradoxus* 524  
*Myripristis* 365  
  
*Natalus*  
   *mexicanus* 76  
   *stramineus* 76  
*Nautilus* 61  
*Nebalia bentzi* 119  
*Neoceratodus* 33, 389  
   *forsteri* 47  
*Nesodon* 413  
*Nevadocoelia* 9  
 New Jersey, Triassic fish 205  
 New Mexico, Permian lungfish  
   burrows 272  
*Nielsenia* 32  
 North American Provincial  
   Ages 194  
*Notocaris* 122  
 Notochord, fossilized 500  
*Notostylops* fauna 409  
 Notoungulata 397  
*Nycterobius* 59  
   *gracilis* 64  
*Nyctiellus lepidus* 76  
*Nyctinomus* 59  
   *stehlini* 64  
  
*Ochotona* cf. *rufescens* 145  
*Oervigia* 32  
 Oklahoma, Permian lungfish  
   burrows 272  
*Olenellus* zone 201  
*Omosoma* 356  
   *costa* 356  
   *garreti* 356  
   *monasteri* 360  
   *pulchellum* 360  
   *simum* 360  
   *sahelalmae* 357  
*Ophiumorpha* 288  
*Ophthalmipseudes*  
   *rhenanus* 104  
 Ordovician, sponges, Quebec 1  
*Orodus* 532

- Ornithoprion* 524  
*hertwigi* 451  
 Osteology  
   Amphibia, Labrinthodontia 11  
   Mammalia, Chiroptera 59  
   Mammalia, Australopithecine 423  
*Ovis orientalis* 145  
*Ozarkocoelia* 9  
  
*Palaedaphus* 32  
*Palaecaris* 95  
*Palaecrangan problematicus* 100  
*Paleophreatoicus sojanensis* 100  
*Palaephyllophora* 59  
   *oltina* 64, 69, 70  
   *quercyi* 69  
   *St. Nebulae* 69  
 Palegawra Cave, Iraq 143  
*Parahippus* 201  
*Paraliodesmus* 371  
*Paraphyllophora* 59  
   indeterm 64  
   *robusta* 64  
*Parapyrotherium planum* 411  
*Paraselachii* 531  
*Paulocaris* 122  
 Pennsylvanian  
   agnathans 489  
   Brazil Fm. 316  
   Carbondale Fm. 541  
   Cherokee Group 316  
   concretions 125, 179  
   crustaceans 95  
   edestids 441, 532  
   elasmobranch 442, 532  
   Excello Shale 128  
   ferns 315  
   Francis Creek Shale 381, 471, 492, 542  
   iniopterygians 532  
   Jordan Coal 316  
   lungfish 375  
   lungfish burrows 272  
   Mecca Quarry Shale 131, 183, 442, 542  
   Oak Grove Limestone 542  
   Pleasantview Sandstone 542  
   polychaete 471  
   Purington Shale 542  
   Radnice Beds 316  
   sedimentary structures 541  
   Summum Coal 542  
   Summum Underclay 542  
   Velpen Limestone 135  
*Pentlandia* 32  
*Peplorhina anthracina* 391  
*Periptychus* 323  
 Permian  
   Admiral Fm. 15  
   Amphibia 11  
   Arroyo Fm. 271  
   Beds of Igornay 379  
   Choza Fm. 271  
   Clear Fork Group 272  
   Crustacea 118  
   Dipnoi 377  
   Dunkard Series 272  
   edestids 532  
   Hennessey Group 272  
   Sangre de Cristo Fm. 272  
   Vale Fm. 271  
   Wellington Fm. 272  
 Permo-Carboniferous, lungfish  
   burrows 271  
 Permo-Triassic  
   Crustacea 119  
   helicoprionids 532  
*Peronedon* 283  
*Petalodus* 535  
*Petromyzon* 496  
*Phacellopegma* 9  
*Phaneropleuron* 32, 377  
*Pharyngolepis*  
   *heintzi* 91  
   *oblongus* 85  
*Phenacodus* 323  
*Physonemus* 527  
*Pipiscius*, n. gen. 490  
   *zangerli*, n. sp. 490  
*Planolites* 543  
*Platycarpus somenensis* 236  
   sp. 236  
*Platxystrodus* sp. 524  
*Platysternon* 157  
   *megacephalum* 165  
*Plegmolepis* 224  
*Plesianthropus* 438  
*Plesiotylosaurus* 245  
*Pleuraspidotherium* 323  
*Pleurolax* 526

- Pleurostylodon* 413  
*Plotosaurus* 245  
*Poecilodus jonesi* 527  
*Polychaeta* 471  
*Porifera* 1  
 Preservation  
   australopithecine bones 423  
   elasmobranch teeth 442  
   fishes 275, 355  
   lysorophid 280  
   Mississippian cephalopod 511  
   soft-bodied fauna 471  
   wood 179  
*Priscacara* 260  
*Pristichampsus* 295  
   *rollinai* 295  
   *vorax* 291  
*Pristodus* 535  
*Proceratodus* 32  
*Prognathodon overtoni* 243  
*Propyrotherium* 409  
*Protacrodus* 534  
*Protamphisopus*  
   *reichelti* 100  
   *wianamatensis* 98  
*Proticia*, n. gen. 397  
   *venezuelensis*, n. sp. 397  
*Protochelydra* 157  
   *zangerli* 164  
*Protopirata heinrichii* 446  
*Protopterus* 33, 279  
   *aethiopicus* 49  
   *dolloi* 49  
 Provincial ages 194  
*Psephodus minutus* 529  
*Pseudorhinolophus* 59  
   *bouziguensis* 65  
   *egerkingensis* 65  
   *morloti* 65  
   *schlosseri* 64  
   cf. *schlosseri* 64  
   sp. 66  
   *weithoferi* 65  
*Pseudotypotherium* 413  
*Pteraspis* 84  
*Ptycholepis* 205  
   *avus* 225  
   *barboi* 223  
   *bollensis* 218  
   *curta* 218  
   *gracilis* 226  
   *marshi* 205  
   *minor* 225  
   *monilifer* 225  
*Pycnodonte* 372  
*Pycnosterinx* 360  
*Pygmy* 425  
*Pyrite*  
   association with fossils 445, 513  
   replacement 125  
*Pyrotherium* 397  
   *crassidens* 411  
   *giganteum* 411  
   *pluteum* 411  
   *romeri* 411  
   *trilophodon* 411  
 Quebec, Ordovician sponges 1  
*Rayonnoceras solidiforme* 511  
*Ricardowenia mysteriosa* 411  
 Radiometric dates 193  
 Rate of concretion formation 188  
*Rauffella* cf. *filosa* 1  
 Recent mammalian fauna, Iran 142  
*Rhinodipterus* 32  
*Rhinolophus* 60  
   *antiquus* 65  
*Rhynchodipterus* 32  
*Rhynchonycteris naso* 72  
*Rodiotherium armatum* 411  
*Rusophycus* 543  
*Saccopteryx*  
   *bilineata* 72  
   *canescens* 72  
   *leptura* 72  
*Sagenodus* 32, 375  
   *rochei* 379  
*Salicornea* 561  
*Scaumenacia* 32, 277  
   *curta* 43  
   *ohioensis* 391  
   *serratus* 391  
*Schizopteris pinnata* 320  
*Scylorhinus canicula* 462  
 Sedimentation  
   Eocene 263  
   Mississippian 511  
   Pennsylvanian 186, 489, 541




- Semionotus* 206  
*Serratocentrus* 366  
*Seymouria* 25  
     *baylorensis* 26  
 Silurian anaspida 83  
 Siren 277  
*Soederberghia* 31  
 South African australopithecine 423  
 South Dakota Cretaceous mosasaur  
     235  
*Spelaeogriphus lepidops* 117  
*Sphryna tudes* 442  
*Spirorbis carbonarius* 472  
*Squaloraja polyspondyla* 524  
*Squalus acanthias* 462  
*Stichocentrus* 363  
*Straitonia* 32, 393  
 Stratigraphic classification 196  
 Stratigraphic practice 194  
 Stratigraphy  
     Eocene, Washakie 573  
     general 193  
*Streptosolen* 9  
*Sunwapta* 32  
*Sus scrofa* 145  
*Synthetodus trisulcatus* 524
- Tadarida*  
     *cynocephala* 78  
     *mexicana* 78  
     *pumila* 78  
 Taphonomy  
     Eocene Fish 257  
     Mississippian Cephalopod 511  
*Taphozous* 61  
     *liponycteris* 72  
     *liponycteris nudiventris* 74  
     *melanopogon* 72  
     *perforatus* 72  
*Tatera cf. indica* 145  
 Teeth (see also dentition)  
     crocodilians 291  
     Dipnoi 31  
     elasmobranch 441, 523  
     Mammalia 146, 403  
     mosasaur 235  
     Polychaeta 473  
*Terrapene* 172  
*Tersomius texensis* 15
- Tertiary  
     Adobe Town Memb. 574  
     Bishop Cgl. 572  
     Bridger B 325  
     Bridgerian 574  
     Browns Beds Series 422  
     Browns Park Fm. 571  
     Castillo Fm. 401  
     Chelonia 163  
     Chiroptera 59  
     chronology 193  
     condylarth brain 323  
     Crocodylia 291  
     Eocene-Oligocene, Quercy 59  
     *Eohippus* Faunal Zone 196  
     *Equus* Beds 196  
     Fort Union Fm. 572  
     Green River Shale 257, 571  
     "Greensand Fm." 311  
     Gualanday Fm. 402  
     Kinney Rim Memb. 574  
     Matatere Fm. 401  
     Misoa 402  
     Notoungulata 397  
     Pauji Fm. 401  
     Pisces 257  
     Red Beds Series 421  
     Santa Rita Fm. 401  
     Trujillo Fm. 401  
     Uintan 574  
     Wasatch Fm. 572  
     Wasatchian 574  
     Washakie Fm. 291, 569
- Texas  
     Cretaceous mosasaur 241  
     Permian burrows 272  
*Tillodon* 326  
*Toxochelys browni* 236  
*Toxodon* 413  
*Toxodontherium* 416  
*Trachichthyoides* 366  
*Tranodis* 32, 377  
*Trematops* 13  
     *milleri* 15  
 Trematopsidae 11  
*Trematopsis* 13  
 Triassic  
     Bull Run Shale 208  
     Brunswick Fm. 208  
     fishes 205

- lungfish burrows 272  
Newark Group 205  
Shuttle Meadow Fm. 208  
*Trigodon* 416  
*Tristychius* 536  
Turtles, chelydrid  
  shell characters 157  
  skull characters 157  
Typology 193, 292  
  
*Uranolophus* 32  
  *wyomingensis* 34  
*Uronemus* 31, 393  
  *splendens* 36  
Uintan 574  
  
*Varanus niloticus* 237  
Venezuela, Tertiary mammals 397  
*venezuelensis*, *Proticia*, n. sp. 397  
*Vespertiliavus* 59  
  *bourguignati* 64  
  *gracilis* 64  
  *schlosseri* 64  
  sp. 73  
  *wingei* 64  
  
*Vespertilio*  
  *bourguinati* 69  
  *morloti* 65  
  
Virginia, Triassic fish 206  
*Volviceramys grandis* 371  
  
Warwasi Rock Shelter, Iran 141  
Wasatchian 574  
*Weigeltisuchus* 291  
  *geiseltalensis* 295  
Wyoming  
  Eocene condylarth brains 323  
  Eocene crocodilians 291  
  Eocene fish 257  
  Eocene mammals 569  
  
Zangerl, Rainer  
  cited 160, 188, 236, 291, 340, 450,  
    451, 522, 532, 534, 537, 589, 584  
  \_\_\_\_\_ and E.S. Richardson  
    cited 129, 349, 443, 555, 560  
  \_\_\_\_\_, B.G. Woodland, E.S.  
    Richardson, and D. Zachry  
      cited 512, 516, 517  
  \_\_\_\_\_ and G.R. Case  
    cited 522, 526, 532  
*zangerli*, n. sp.  
  *Megapleuron* 375  
  *Pipiscius* 490  
Zarzian 141  
*zelus*, *Esconites*, n. sp. 472  
*Zoophycos* 543  
*Zygopteris* 320



## ERRATA

- p. 64, *Vespertiliavus* should be on the same line as *bourguignati*.
- p. 126, line 7 from bottom, for "is," read "are."
- p. 371, for *Leptacodon*, read *Leptecodon*.
- p. 535, for *Janessa*, read *Janassa*.
- p. 543, for "confolute," read "convolute."
- p. 577, for "robbin's," read "robin's."
- p. 595, line 7, for "Sec. 7," read "Sec. 27."













UNIVERSITY OF ILLINOIS-URBANA

550.5FI C001  
FIELDIANA, GEOLOGY CHGO  
33 1973-78



3 0112 026616133